## Assessment Schedule - 2020

## Mathematics and Statistics: Apply calculus methods in solving problems (91262)

## **Evidence**

Q ONE	Evidence	Achievement (u)	Achievement with Merit (r)	Achievement with Excellence (t)
(a)	$f(x) = x^3 - 2x^2 + 5$ $\Rightarrow f'(x) = 3x^2 - 4x$ $f'(4) = 32$	Correct solution.		
(b)	$h(x) = 0.5x^{2} + 3x - 1$ $\Rightarrow h'(x) = x + 3$ $x + 3 = 5 \Rightarrow x = 2$	Correct solution.		
(c)	g'(x) = 2x + 5 g'(2) = 9 g(x) - 14 = 9(x - 2) g(x) = 9x - 4	Finds the gradient.	Correct equation.	
(d)	$f'(x) = px - 4$ $f(x) = \frac{px^2}{2} - 4x + c$ $f(4) = 8p - 16 + c = 12 \implies c = 28 - 8p$ $f(-6) = 18p + 24 + c = 2 \implies c = -22 - 18p$ $28 - 8p = -22 - 18p \implies p = -5, c = 68$ Hence, $f(x) = \frac{-5x^2}{2} - 4x + 68$	Integrates $f'(x)$ correctly.	Correct equation for $f(x)$	
(e)	a(t) = 0.5 v(t) = 0.5t + 3 $s(t) = 0.25t^2 + 3t + 80$ s(t+1) - s(t) = 0.5t + 3.25 = 11.75 km t = 17 So in the 18 <sup>th</sup> hour, the boat travels 11.75 km.	Finds correct velocity equation.	Finds correct distance equation.	T1: Forms equation for distance travelled in 1 hour but minor error made in working leading to a solution, such as an algebraic or numerical slip.  T2: Correct solution.

NØ	N1	N2	A3	<b>A4</b>	M5	M6	E7	E8
No response; no relevant evidence.	A valid attempt at one question.	1 of u	2 of u	3 of u	1 of r	2 of r	T1	T2

Q TWO	Evidence	Achievement (u)	Achievement with Merit (r)	Achievement with Excellence (t)
(a)	Positive parabola with <i>x</i> -intercepts in the $3^{rd}$ square to the left of the <i>y</i> -axis and in the $7^{th}$ square to the right (not on a grid line).	Correct graph.		
(b)	$y'(x) = 6x^2 - 84x + 240 = 0$ at turning points $6(x^2 - 14x + 40) = 0$ (x - 4)(x - 10) = 0 x = 4 or $10Correct use of any test to show that the maximum occurs at x = 4, such as showing clearly that:• y(4) > y(10)• y'(3.9) > 0 while y'(4.1) < 0• y''(4) < 0$	y'(x) correct and set to 0.	Clear reasoning to show that maximum occurs when $x = 4$ .	
(c)	$v(t) = 3t^2 - 5t$ $a(t) = 6t - 5$ $a(2) = 7$	Correct answer.		
(d)	Negative cubic with a minimum and $x$ -intercept at $(c,0)$ and a maximum 10 squares to the right of the $x$ -axis. Accept cubics that do not have point symmetry.	Negative cubic.	TPs correct.	
(e)	$f(x) = ax^3 + bx^2 + cx + d$ $f'(x) = 3ax^2 + 2bx + c$ $27a + 6b + c = 0$ $75a - 10b + c = 0$ Eliminating $b \Rightarrow c = -45a$ OR  To have turning points at $x = 3$ and $x = -5$ , $f'(x) = k(x - 3)(x + 5)$ $f'(x) = kx^2 + 2kx - 15k$ $\therefore f(x) = \frac{k}{3}x^3 + kx^2 - 15kx + d$ So $a = \frac{k}{3} \Rightarrow k = 3a$ and $c = -15k \Rightarrow c = -45a$	Correct expression for $f'(x)$ involving $a, b$ and $c$ .	Forms the two equations utilising the TP information.	T1: Correct expression obtained but with incorrect working or incorrect mathematical statements.  T2: Correct expression obtained with correct working and mathematical statements.

NØ	N1	N2	A3	A4	M5	M6	E7	E8
No response; no relevant evidence.	A valid attempt at one question	1 of u	2 of u	3 of u	1 of r	2 of r	T1	T2

Q THREE	Evidence	Achievement (u)	Achievement with Merit (r)	Achievement with Excellence (t)
(a)	$f(x) = x^3 - x^2 - 4x + c,  c = 4$ $f(x) = x^3 - x^2 - 4x + 4$	Correct answer.		
(b)	A = $\pi r^2 = \pi (0.7t)^2 = 0.49 \pi t^2$ $\frac{dA}{dt} = 0.98\pi t$ $\frac{dA}{dt} = 0.98\pi x \ 20$ = 19.6 $\pi = 61.58 \text{ m}^2 \text{ s}^{-1}$ (units not required)	Expression for $\frac{dA}{dt}$ .	Correct answer.	
(c)	$h'(x) = \frac{-2}{3}x + 2$ $h(x) = \frac{-1}{3}x^2 + 2x + c$ Since $h(0) = 4$ , $h(x) = \frac{-1}{3}x^2 + 2x + 4$	Anti-differentiation.	Correct answer.	
(d)	$f'(x) = 3kx^{2} + 9$ $f'(2) = 3k(2)^{2} + 9 = 15$ $12k + 9 = 15$ $k = 0.5$	Correct answer.		
(e)	Let length of the base be x. $A = \frac{1}{2}x(mx - x^{2})$ $= \frac{1}{2}mx^{2} - \frac{1}{2}x^{3}$ $A' = mx - \frac{3}{2}x^{2} = x(m - \frac{3}{2}x) = 0$ Since $x \neq 0$ , $\frac{3}{2}x = m \Rightarrow x = \frac{2m}{3}$ $Max A: A = \frac{m}{3} \left( \frac{2m^{2}}{3} - \frac{4m^{2}}{9} \right) = \frac{2m^{3}}{27}$	Correct differentiation of an expression for the area of OAB.	Finds m or x.	T1: Minor error but otherwise correct.  T2: Correct expression obtained.

NØ	N1	N2	A3	A4	M5	M6	E7	E8
No response; no relevant evidence.	A valid attempt at one question	1 of u	2 of u	3 of u	1 of r	2 of r	T1	T2

## **Cut Scores**

Not Achieved	Achievement	Achievement with Merit	Achievement with Excellence	
8 - 0	9 – 13	14 – 18	19 – 24	